CHAPTER 27

MINERAL FUELS, MINERAL OILS AND PRODUCTS OF THEIR DISTILLATION; BITUMINOUS SUBSTANCES; MINERAL WAXES

V 27-1

Notes

- 1. This chapter does not cover:
 - (a) Separate chemically defined organic compounds, other than pure methane and propane which are to be classified in heading 2711;
 - (b) Medicaments of heading 3003 or 3004; or
 - (c) Mixed unsaturated hydrocarbons of heading 3301, 3302 or 3805.
- 2. References in heading 2710 to "petroleum oils and oils obtained from bituminous minerals" include not only petroleum oils and oils obtained from bituminous minerals, but also similar oils, as well as those consisting mainly of mixed unsaturated hydrocarbons, obtained by any process, provided that the weight of the nonaromatic constituents exceeds that of the aromatic constituents.

However, the references do not include liquid synthetic polyolefins of which less than 60 percent by volume distills at 300°C, after conversion to 1,013 millibars when a reduced-pressure distillation method is used (chapter 39).

Subheading Notes

- 1. For the purposes of subheading 2701.11, "anthracite" means coal having a volatile matter limit (on a dry, mineral-matter-free basis) not exceeding 14 percent.
- For the purposes of subheading 2701.12, "bituminous coal" means coal having a volatile matter limit (on a dry,
 mineral-matter-free basis) exceeding 14 percent and a calorific value limit (on a moist, mineral-matter-free basis) equal to
 or greater than 5,833 kcal/kg.
- 3. For the purposes of subheadings 2707.10, 2707.20, 2707.30, 2707.40 and 2707.60, the terms "benzene," "toluene," "xylene," "naphthalene" and "phenols" apply to products which contain more than 50 percent by weight of benzene, toluene, xylene, naphthalene or phenols, respectively.

Additional U.S. Notes

- 1. (a) Crude petroleum oils, crude oils obtained from bituminous minerals and reconstituted crude petroleum shall, if products of Canada, be admitted free of duty and any entry therefor shall be liquidated or reliquidated accordingly if, on or before the 180th day after the date of entry, documentation is filed with the customs officer concerned establishing that, pursuant to a commercial exchange agreement between the United States and Canadian refiners which has been approved by the Secretary of Energy--
 - (i) An import license for the products covered by such entry has been issued by the Secretary; and
 - (ii) An equivalent amount of domestic or duty-paid foreign crude petroleum oils, crude oils obtained from bituminous minerals or reconstituted crude petroleum have, pursuant to such commercial exchange agreement and to an export license issued by the Secretary of Commerce, been exported from the United States to Canada and have not previously been used to effect the duty-free entry of like Canadian products under this U.S. note.
 - (b) The Secretary of the Treasury, after consulting with the Secretary of Commerce and the Secretary of Energy, shall issue such rules or regulations as may be necessary governing the admission of Canadian products pursuant to the provisions of this U.S. note.
- 2. For the purposes of heading 2710, "petroleum oils" includes only products having:
 - (a) A Congealing Point (ASTM D 938) of less than 30°C; or
 - (b) If the Congealing Point is not less than $30\,^{\circ}\text{C}$:
 - (i) A density at 70° C of less than 0.942 and a Worked Cone Penetration (ASTM D 217) or a Cone Penetration (ASTM D 937) at 25°C of not less than 350; or
 - (ii) If the density at $70\,^{\circ}\text{C}$ is not less than 0.942 having a Needle Penetration (ASTM D 5) at $25\,^{\circ}\text{C}$ of not less than 400.
- 3. For the purposes of subheading 2710.00.15, "motor fuel" is any product derived primarily from petroleum, shale or natural gas, whether or not containing additives, which is principally used as a fuel in internal-combustion or other engines.

V 27-2

- 4. For the purposes of subheading 2710.00.18, "motor fuel blending stock" means any product (except naphthas of subheading 2710.00.25) derived primarily from petroleum, shale oil or natural gas, whether or not containing additives, to be used for direct blending in the manufacture of motor fuel.
- 5. In determining the relative weights of components of the mixtures provided for in subheading 2710.00.45, naphtha and other petroleum derivatives which may be present in such mixtures as solvents shall be disregarded.
- 6. For the purposes of heading 2716:
 - (a) The term "electrical energy" does not include electrical energy transmitted as a medium of communication; and
 - (b) Electrical energy shall not be subject to the entry requirements for imported merchandise set forth in section 484 of the Tariff Act of 1930, as amended, (19 U.S.C. 1484), but shall be entered on a periodic basis in accordance with regulations to be prescribed by the Secretary of the Treasury.
- 7. For the purposes of this chapter, the term barrel (bbl) means a barrel of 158.98 liters measured at 15.6°C.

Statistical Note

 For the purposes of statistical reporting number 2711.11.0000, the volume of liquid natural gas shall be reported on a gaseous equivalent volume basis.

2701		Coal; briquettes, ovoids and similar solid fuels manufactured from coal: Coal, whether or not pulverized, but not					
2701.11.00 2701.12.00	10	agglomerated: Anthracite Bituminous coal Metallurgical coal	 t	Free Free			Free Free
2701.19.00 2701.20.00	50 00 00	OtherOther coalBriquettes, ovoids and similar solid fuels manufactured from coal	t	Free Free			Free Free
2702		Lignite, whether or not agglomerated, excluding					
2702.10.00	00	jet: Lignite, whether or not pulverized, but not agglomerated	t	Free			Free
2702.20.00	00	Agglomerated lignite	t	Free			Free
2703.00.00	00	Peat (including peat litter), whether or not agglomerated	t	Free			Free
2704.00.00	05 15 20	Coke and semicoke of coal, of lignite or of peat, whether or not agglomerated; retort carbon Coke and semicoke of coal: Commercially suitable for use as fuel: In briquettes	t t t	Free			Free
2705.00.00	00	Other Coal gas, water gas, producer gas and similar gases, other than petroleum gases and other gaseous hydrocarbons		Free			Free
2706.00.00	00	Tar distilled from coal, from lignite or from peat, and other mineral tars, whether or not dehydrated or partially distilled, including reconstituted tars	kg	Free			Free
2707		Oils and other products of the distillation of high temperature coal tar; similar products in which the weight of the aromatic constituents exceeds that of the nonaromatic constituents:					
2707.10.00 2707.20.00 2707.30.00	00 00 10 20 30 40	Benzene Toluene Xylenes. m-Xylene. o-Xylene. p-Xylene. Other	liters liters liters liters	Free Free Free			Free Free Free
2707.40.00	00	Naphthalene	kg liters	Free			Free
2707.50.00	00	Other aromatic hydrocarbon mixtures of which 65 percent or more by volume (including losses) distills at 250°C by the ASTM D 86 method	kg	_			_
			liters	Free	_	/a	Free
2707.60.00	00	Phenols	кд	2.9¢/kg + 12.5%	Free	(A,CA,E,IL, J,MX)	7.7¢/kg + 29.5%
2707.91.00 2707.99	00	Other: Creosote oils	liters	Free			Free
2707.99.10 2707.99.20 2707.99.30	00 00 00	Light oil Picolines Metacresol, orthocresol, paracresol and metaparacresol, all the foregoing having a purity of		Free Free			Free Free
2707.99.40	0.0	75 percent or more by weight	kg	1.1¢/kg + 3.6%	Free	(A,CA,E,IL, J,MX)	15.4¢/kg + 42.5%
2101.33.40	00	Carbazole having a purity of 65 percent or more by weight	kg	1.6¢/kg + 5.5%	Free	(A,CA,E,IL, L,J,MX)	15.4¢/kg + 40%
2707.99.50	10 90	Other Carbon black feedstocks Other	bbl	Free			Free

2708		Pitch and pitch coke, obtained from coal tar or from other mineral tars:				
2708.10.00 2708.20.00	00	Pitch coke		Free Free		Free Free
2709.00		Petroleum oils and oils obtained from bituminous	3			
2709.00.10	00	minerals, crude: Testing under 25 degrees A.P.I	bbl	5.25¢/bbl	Free (CA,IL)	21¢/bbl
2709.00.20	00	Testing 25 degrees A.P.I. or more	bbl	10.5¢/bbl	4.2¢/bbl (MX) Free (CA,IL) 8.4¢/bbl (MX)	21¢/bbl
2710.00		Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations:				
2710.00.05		Distillate and residual fuel oils (includ- ing blended fuel oils): Testing under 25 degrees A.P.I		5.25¢/bbl	Free (CA,IL) 4.2¢/bbl (MX)	21¢/bbl
		Having a Saybolt Universal vis- cosity at 37.8°C of 45 seconds or more but not more than 125 seconds (No. 4-type fuel oils):			4.29/DDI (MA)	
	05	Containing not more than 0.05 percent by weight of sulfur	bbl			
	15	Containing more than 0.05 percent by weight of sulfur Having a Saybolt Universal vis- cosity at 37.8°C of more than 125 seconds (heavy fuel oils):				
	25 30	Fuel oil No. 5	bbl			
2710.00.10	35 50	OtherOther	bbl	10 5¢/bbl	Free (CA,IL)	21¢/bbl
	01	Having a Saybolt Universal vis- cosity at 37.8°C of less than 45 seconds (light fuel oils): Fuel oils Nos. 2 and 3: Diesel oil: Containing not more			8.4¢/bbl (MX)	,,,,,
		than 0.05 percent by weight of sulfur	bbl			
	04	Containing more than 0.05 percent by weight of sulfur Other:	bbl			
	06	Containing not more than 0.05 percent by weight of sulfur	bbl			
	08	Containing more than 0.05 percent by weight of sulfur	bbl			
	12	Other: Containing not more than 0.05 percent by weight of sulfur				
	14	Containing more than 0.05 percent by weight of sulfur Having a Saybolt Universal vis- cosity at 37.8°C of 45 seconds or more but not more than 125 seconds (No. 4-type fuel oils):	bbl			
	15	Containing not more than 0.05 percent by weight of sulfur	bbl			
	25	Containing more than 0.05 percent by weight of sulfur	bbl			
	50	Having a Saybolt Universal vis- cosity at 37.8°C of more than 125 seconds (heavy fuel oils)				

2710.00 (con.)		Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the prepa-				
2710.00.15		rations (con.): Motor fuel		52.5¢/bbl <u>1</u> /	Free (CA,IL) <u>1</u> / 42¢/bbl (MX) 1/	\$1.05/bbl <u>1</u> /
	10	Gasoline: Leaded Unleaded:	bbl		, (, <u>-</u> ,	='
	14 16 18	Reformulated Oxygenated Other	bbl			
	20 30 50	Jet fuel, naphtha-type Jet fuel, kerosene-type Other	bbl			
2710.00.18	00	Motor fuel blending stock		52.5¢/bbl <u>1</u> /	Free (CA,IL) <u>1</u> / 42¢/bbl (MX) <u>1</u> /	\$1.05/bbl <u>1</u> /
2710.00.20	00	Kerosene (except motor fuel or motor fuel blending stock)	bbl	10.5¢/bbl	Free (CA,IL) 8.4¢/bbl (MX)	21¢/bbl
2710.00.25	00	Naphthas (except motor fuel or motor fuel blending stock)	bbl	10.5¢/bbl	Free (CA,IL) 8.4¢/bbl (MX)	21¢/bbl
		Lubricating oils and greases, with or			,	
2710.00.30		without additives: Oils		84¢/bbl	Free (CA,IL) 67.2¢/bbl (MX)	\$1.68/bbl
	10 20	Aviation engine lubricating oils Automotive, diesel or marine engine lubricating oils				
	30	Turbine lubricating oil, including marine	bbl			
	40 50 70 80	Automotive gear oils	bbl bbl			
2710.00.35	00	Greases: Containing not over 10 percent by weight of salts of fatty acids of animal (including marine animal)				
		or vegetable origin	kg	5.8%	Free (A,CA,IL,MX)	20%
2710.00.40	00	Other	kg	1.3¢/kg + 5.7%	Free (A,CA,IL,MX)	4.4¢/kg + 20%
2710.00.45		Other: Mixtures of hydrocarbons not elsewhere specified or included, which contain by weight not over 50 percent of any single hydrocarbon compound		10 5¢/bbl	Free (CA,IL)	21¢/bbl
	10	Condensate derived wholly from natural gas		10.31,221	8.4¢/bbl (MX)	211,7221
2710.00.60	30 40 45 90	White mineral oil: Medicinal grade Other Insulating or transformer oils Other	bbl bbl bbl kg			
			liters	7%	Free (CA,E,IL,J) 5.6% (MX)	25%

 $[\]underline{1}/$ See headings 9901.00.50 and 9901.00.52.

Description	2711		Petroleum gases and other gaseous hydrocarbons:			
Propage Prop	2711.11.00	00	Liquefied: Natural gas		Free	Free
Butanes Butanes Free Free Free Butanes But	2711.12.00	10	Propane with a minimum purity of		Free	Free
than 95 liquid volume percent bbl 20	2711.13.00		Butanes Butanes with a purity of 90 liquid		Free	Free
Sthylene, propylene butylene and butadisene			than 95 liquid volume percent			
20	2711.14.00	20	Ethylene, propylene, butylene and		Free	Free
Other		20 30	PropyleneButylene	kg kg		
In gaseous state: 2711.21.00 00 Natural gas	2711.19.00		OtherEthane	bbl kg	Free	Free
Other	2711.21.00	00		thousand	Free	Free
Propane with a minimum purity of 90 liquid volume percent bbl 15 Other	2711.29.00				Free	Free
Butanes: Butanes: Butanes with a purity of 90		10	Propane with a minimum purity	bbl		
Butanes with a purity of 90 liquid volume percent or more, but less than 95 liquid volume percent		15		bbl		
25 Other		20	Butanes with a purity of 90 liquid volume percent or more, but less than 95 liquid			
Petroleum jelly; paraffin wax, microcrystalline petroleum wax, slack wax, ozokerite, lignite wax, peat wax, other mineral waxes and similar products obtained by synthesis or by other processes, whether or not colored: 2712.10.00 00 Petroleum jelly						
petroleum wax, slack wax, ozokerite, lignite wax, peat wax, other mineral waxes and similar products obtained by synthesis or by other pro- cesses, whether or not colored: 2712.10.00 00 Petroleum jelly						
2712.10.00 00 Petroleum jelly	2712		petroleum wax, slack wax, ozokerite, lignite wax, peat wax, other mineral waxes and similar products obtained by synthesis or by other pro-			
2712.90 Other: 2712.90.10 00 Montan waxkgkg. Free Free			Petroleum jelly Paraffin wax containing by weight less than	_	_	
2712.90.10 00 Montan waxkgkg Free Free	2712 00		-	<i>v</i> a	1166	2.24/ ng
	2712.90.10		Montan wax			

2713		Petroleum coke, petroleum bitumen and other residues of petroleum oils or of oils obtained from bituminous minerals: Petroleum coke:					
2713.11.00	0.0	Not calcined	t	Free			Free
2713.12.00	00	Calcined	t	2.4%	Free	(A,CA,E,IL, J,MX)	45%
2713.20.00 2713.90.00	00	Petroleum bitumen Other residues of petroleum oils or of oils	t	Free			Free
		obtained from bituminous materials	t	Free			Free
2714		Bitumen and asphalt, natural; bituminous or oil shale and tar sands; asphaltites and asphaltic rocks:					
2714.10.00	00	Bituminous or oil shale and tar sands	t	Free			Free
2714.90.00	00	Other	t	Free			Free
2715.00.00	00	Bituminous mixtures based on natural asphalt, on natural bitumen, on petroleum bitumen, on mineral tar or on mineral tar pitch (for example,					
		bituminous mastics, cut-backs)	t	Free			Free
2716.00.00	00	Electrical energy	kWh	Free			Free